


**FOR INFORMATION ONLY
NOT FOR CONSTRUCTION**


NOTES:

- Comply with all relevant Australian standards.
- Comply with RMS requirements and guidelines.
- Obtain DBYD drawings prior to starting work.
- Ground truth all possible conflicts with underground and overhead services and structures prior to commencement of works.
- Confirm locations of subsoil drainage system prior to commencing tree pit works. Notify Council's project Officer if no drainage system is available to connect into.
- Minimum tree installation size is 75L unless indicated otherwise in Conditions of Consent.
- Tree species substitution requires written consent from LMCC.




D1 Tree Pit in Median
Typical plan 1:50

Mass Planting, typical detail see LSD-PLA-21. Offset 500mm from back of kerb to avoid overhang.



D2 Section A
Typical cross section 1:25



D3 Section A - alternative drainage layout
Typical cross section 1:25

VERSION	DATE	COMMENTS	PAPER SIZE
2	2015-11	Amended format, Review 2015.	A4
1	2013-05	Final for DCP.	A4

WORK TO FIGURED DIMENSIONS - DO NOT SCALE. DO NOT RELY ON THESE STANDARD DRAWINGS AS THE EQUIVALENT OF, OR SUBSTITUTE FOR, PROJECT-SPECIFIC DESIGN & ASSESSMENT BY A QUALIFIED PROFESSIONAL.



126-138 MAIN ROAD
SPEERS POINT
PHONE (02)4921 0333
www.lakemac.com.au
SHEET: 1 OF 1

DRAWING TITLE
Standard Drawings - Planting
Tree Pit in median

DRAWING No: LSD-PLA-08
VERSION: 2