



- NOTES:**
1. REFER TO WATER CYCLE MANAGEMENT GUIDELINES AND SOID GUIDELINES FOR DESIGN GUIDANCE
  2. ENGINEERING WORKS TO BE DESIGNED IN ACCORDANCE WITH COUNCIL'S "DCP No. 1 - VOLUME 2 - ENGINEERING GUIDELINES"
  3. BEDDING AGGREGATE MATERIAL SHALL MEET MATERIAL AND GRADING COMPATIBILITY CRITERIA IN TECHNICAL SPECIFICATION FOR THE WORKS AND/ OR THE PAVEMENT MANUFACTURER'S TECHNICAL SPECIFICATIONS.
  4. THE RETENTION STORAGE MEDIA SHALL COMPRISE COARSE, SOUND, CLEAN STONE OR ROCK OF GENERALLY UNIFORM PARTICLE SIZE (TYPICALLY 10 TO 63 MM SIZE) AND FREE FROM SILT/CLAY FINES OR OTHER DELETERIOUS MATTER, OR AS SPECIFIED IN THE PAVEMENT MANUFACTURE'S TECHNICAL SPECIFICATION.
  5. FILTER STRIPS SHOULD BE TURF OR PLANTED - IF PLANTED, VEHICLE EXCLUSION BOLLARDS MAY BE REQUIRED.
  6. REFER TO MANUFACTURE'S SPECIFICATION FOR MAXIMUM TRAFFIC LOADING.
  7. FILTER STRIPS TO BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH LANDSCAPE DESIGN GUIDELINES.

DRAWING DETAIL BASED ON THE BRISBANE CITY COUNCIL STANDARD DRAWINGS.

04	26 JUNE 15	UPDATE NOTES
03	11 DEC 13	UPDATE NOTES
02	27 SEPT 12	UPDATE NOTES
01	22 JUNE 12	DRAFT ISSUE
VERSION	DATE	COMMENTS

WORK TO FIGURED DIMENSIONS - DO NOT SCALE - THIS DRAWING IS SUBJECT TO COPYRIGHT AND IS THE PROPERTY OF LAKE MACQUARIE CITY COUNCIL. PERSONS MUST NOT RELY ON THESE STANDARD DRAWINGS AS THE EQUIVALENT OF OR A SUBSTITUTE FOR PROJECT-SPECIFIC DESIGN & ASSESSMENT BY A QUALIFIED PROFESSIONAL.



126-138 MAIN ROAD  
SPEERS POINT  
PHONE (02)4921 0333  
www.lakemac.com.au

SHEET: 1 OF 1

DRAWING TITLE  
**POROUS PAVING - TYPICAL SECTION**

DRAWING No: EGD5-410

VERSION: 04